

PERMIT FEE: \_\_\_\_\_  
PERMIT NO. \_\_\_\_\_

VILLAGE OF NEW GLARUS  
APPLICATION FOR PERMIT TO  
LAY, REMOVE, REPLACE, OR REPAIR SIDEWALK

TODAY'S DATE: \_\_\_\_\_

CONTRACTOR NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
TELEPHONE: \_\_\_\_\_

PROPERTY OWNER FOR WHOM WORK IS BEING DONE

NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
TELEPHONE: \_\_\_\_\_

DATE FOR WHICH PERMIT IS REQUESTED: \_\_\_\_\_  
**[Application must be submitted 3 days prior to date when work will be performed]**

TYPE OF WORK TO BE PERFORMED: \_\_\_\_\_  
\_\_\_\_\_

ACCURATE DESCRIPTION OF THE PORTION OF SIDEWALK TO BE LAID,  
REMOVED, REPLACED OR REPAIRED: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NOTE:**

VILLAGE REQUIRES THAT A COPY OF THE CONTRACTOR'S CERTIFICATE OF INSURANCE BE ATTACHED TO THIS APPLICATION.

RESOLUTION R92-38 REQUIRES THAT A COPY OF THE CONTRACT'S STATEMENT OF COMPLIANCE WITH THE AMERICAN'S WITH DISABILITIES ACT AND COMPLIANCE WITH SECTION 504 OF THE REHABILITATION ACT OF 1973 BE ATTACHED.

Municipal Ordinance  
§ 262-2  
Resolution R92-38  
Rev. 9/2003  
Clerk.forms.sidewalk.doc

\_\_\_\_\_  
Applicant Signature

Approval Granted: \_\_\_\_\_  
Date

\_\_\_\_\_  
Public Works Director

**AN ORDINANCE TO DELETE AND RECREATE  
SECTION 262-2(E) [Standard Specifications for Sidewalk]  
OF THE  
MUNICIPAL CODE OF THE VILLAGE OF NEW GLARUS, WISCONSIN**

THE VILLAGE BOARD of the VILLAGE OF NEW GLARUS, GREEN COUNTY, WISCONSIN, does hereby ordain as follows:

The Municipal Code of the Village of New Glarus is hereby amended to read as follows:

**262-2(E) Standard Specifications for Sidewalk**

- (1) General. Concrete sidewalk construction shall meet the specifications and provisions set forth in this section and shall be constructed to be laid to the established grade of the street and shall be at an elevation above the top of the curb determined by a slope of ½ inch per foot times the distance between the curb and the street sidewalk. Sidewalk installation/repair that does not adhere to the specifications shall be removed and replaced at the expense of the property owner.
- (2) Concrete shall conform to ASTM C94 and the following:
  - a) Twenty-eight day compression strength (PSI): 3500
  - b) Maximum aggregate size: ¾ inches
  - c) Minimum cement content: 5.5 bags/C.Y.
  - d) Air content: 65 +/- 1.5%

**Grade/Elevation:**

- a) Residential walks shall be a minimum of 4 feet in width or shall meet the existing width of the existing sidewalk, whichever is wider
- b) Sidewalks in front of commercial or industrial establishments shall be not less than eight feet in width.
- c) Where possible, sidewalks shall be located to provide a five foot terrace from the back of the curb to the sidewalk
- d) Match existing grades and adjacent structures
- e) Terrace slope shall be ½ inch per foot toward street
- f) Sidewalk slope shall be ¼ inch per foot toward street


**Forming/Finishing:**

- a) Standard sidewalk thickness shall be a minimum of 5 inches
- b) Driveway sidewalk thickness shall be minimum of 7 inches
- c) Driveway approach thickness shall be a minimum of 7 inches
- d) A minimum of 4 inches compacted crushed stone base material shall underline sidewalk
- e) One-half inch reinforcement rod shall be used when replacing or repairing sidewalks over alley entrances.
- f) Construct control joints every 5 feet
- g) Round edges ¼ inch
- h) Install light brush finish
- i) Apply curing compound
- j) Concrete shall be struck off true to grade. No tool marks shall be left on exposed surfaces. In case of rain, the walk shall be covered to protect the surface from being damaged. Walks shall be kept free from all traffic at normal temperatures for 48 hours and in cold weather (below 50° F.) for 96 hours. No concrete shall be poured when the temperature may be expected to fall below 35° F. in any seventy-two hour period or upon frozen subgrade.

Higher standards. Where deemed necessary by the Village, higher sidewalk standards may be required by the Village Board.

This ordinance shall take effect the day after passage and publication as provided by law.

AUTHOR: Ben Kahl  
PRESENTED: 10/25/04  
ADOPTED: 10/25/04  
PUBLISHED: 11/3/04

  
Thomas C. Myers, President

  
Lynne R. Erb, Clerk